



2100 Pennsylvania Avenue, NW  
Washington, DC 20037-3213

T 202.293.7060  
F 202.293.7860

[www.sughrue.com](http://www.sughrue.com)

**Darryl Mexic**  
T 202-663-7909  
Dmexic@sughrue.com

September 2, 2003

01970 U.S. PTO  
10/652481  
  
09/02/03

**MAIL STOP PATENT APPLICATION**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Re: Application of Kazuo HAKAMATA  
LINE LIGHT SOURCE SYSTEM  
Assignee: FUJI PHOTO FILM CO., LTD.  
Our Ref. Q77240

Dear Sir:

Attached hereto is the application identified above comprising thirty three (33) sheets of the specification, including the claims and abstract, eleven (11) sheets of drawings, executed Assignment and PTO 1595 form, and executed Declaration and Power of Attorney. Also enclosed is an Information Disclosure Statement and PTO/SB/08 A & B (modified).

The Government filing fee is calculated as follows:

Total claims	11	-	20	=		x	\$18.00	=	\$0.00
Independent claims	2	-	3	=		x	\$84.00	=	\$0.00
Base Fee									\$750.00

<b>TOTAL FILING FEE</b>	<b>\$750.00</b>
Recordation of Assignment	\$40.00
<b>TOTAL FEE</b>	<b>\$790.00</b>

Checks for the statutory filing fee of \$750.00 and Assignment recordation fee of \$40.00 are attached. The USPTO is directed and authorized to charge all required fees, except for the Issue Fee and the Publication Fee, to Deposit Account No. 19-4880. Please also credit any overpayments to said Deposit Account. A duplicate copy of this transmittal letter is attached.



MAIL STOP PATENT APPLICATION  
September 2, 2003  
Page 2

Priority is claimed from:

<u>Country</u>	<u>Application No</u>	<u>Filing Date</u>
JAPAN	2002-260078	September 5, 2002
JAPAN	2002-380592	December 27, 2002

The priority documents are enclosed herewith.

Respectfully submitted,  
SUGHRUE MION, PLLC

Attorneys for Applicant  
By: *Paul E. Mills (Reg. 33,102)*  
Darryl Mexic  
Registration No. 23,063  
*[Signature]*

SUGHRUE MION, PLLC  
Telephone: (202) 293-7060  
Facsimile: (202) 293-7860

WASHINGTON OFFICE  
23373  
CUSTOMER NUMBER

DM/ars